

Amendments to the claims:

Claim 1 (currently amended): A portable motion-sensing light comprising:

a sealed housing;

a sensor adjustably mounted on the sealed housing and electrically

coupled to

a control circuit inside the sealed housing coupled to

a lamp socket adjustably mounted on the sealed housing configured to accept a light bulb, the sensor being separately adjustable from the lamp socket; and

a power cord having an electrical plug on a first end of the power cord and entering the sealed housing at a power cord entry securing the power cord to the sealed housing providing a weather-resistant seal and strain relief, a second end of the power cord being connected to electrical connections within the sealed housing, the power cord entry cooperating with the electrical connections within the sealed housing so as to provide a weather-resistant seal and strain relief allowing outdoor motion-sensing illumination.

Claim 2 (previously presented): The portable motion-sensing light of claim 1 wherein the sealed housing includes a first housing portion, a second housing portion, and a watertight gasket disposed between the first housing portion and the second housing portion.

Claim 3 (canceled)

Claim 4 (previously presented): The portable motion-sensing light of claim 1 wherein the sealed housing comprises a first housing portion and a second housing portion, the first housing portion being welded to the second housing portion.

Claim 5 (previously presented): The portable motion-sensing light of claim 1 wherein the sealed housing comprises a first housing portion and a second housing portion, the first housing portion being sealed to the second housing portion with an adhesive sealant.

Claim 6 (currently amended): The portable motion-sensing light of claim 1 further comprising expanding closed-cell foam ~~disposed~~ applied within the sealed housing around at least one of the power cord entry, a sensor wire entry, and a lamp socket wire entry.

Claim 7 (original): The portable motion-sensing light of claim 1 further comprising  
means for mounting the portable sensing light on a support structure.

Claim 8 (currently amended): The portable motion-sensing light of claim 7 wherein the means for mounting includes a mounting member on a back of the sealed housing configured to removably couple to a mating mounting bracket disposed on a mounting support ~~an outdoor support structure so as to facilitate mounting the portable motion-sensing light in a selected outdoor location, and then to facilitate removing the portable motion-sensing light from the selected outdoor location.~~

Claim 9 (currently amended): A weather-resistant portable motion-sensing light for comprising:  
a watertight housing with a back;  
a sensor adjustably mounted on the housing and electrically coupled to  
a control circuit coupled to  
a lamp socket adjustably mounted on the sealed housing configured to  
accept a light bulb, the sensor being separately adjustable from the lamp socket;

a power cord having an electrical plug on a first end of the power cord, the power cord entering the watertight housing at a power cord entry securing the power cord to the sealed housing ~~providing a weather-resistant seal and strain relief~~, a second end of the power cord being connected to electrical connections within the sealed housing so as to provide electrical power to the weather-resistant portable motion-sensing light when the electrical plug is plugged into an electrical socket;

means for mounting the weather-resistant portable motion-sensing light on an outdoor support structure; and

expanding closed-cell foam ~~disposed~~ applied within the watertight housing around at least one of a power cord entry, a sensor wire entry, and a lamp socket wire entry.

Claim 10 (currently amended): The weather-resistant portable motion-sensing light of claim 9 wherein the means for mounting is a mounting member located on the back of the watertight housing configured to couple to a mating mounting bracket ~~disposed on a mounting support~~ on an outdoor support structure so as to facilitate mounting the portable motion-sensing light in a selected outdoor location, and then to facilitate removing the portable motion-sensing light from the selected outdoor location.

Claim 11 (currently amended): A method of operating a an outdoor motion-sensing light with an integrated power cord extending through a power cord entry providing a weather-resistant seal between the integrated power cord and ~~into~~ a weather-resistant housing of the motion-sensing light and having an electrical plug at a first end of the integrated power cord, the method comprising:

providing the motion-sensing light with the integrated power cord extending into a weather-resistant housing of the motion-sensing light and the electrical plug on the first end of the integrated power cord;

mounting the motion-sensing light ~~at~~ on a first ~~selected location~~ outdoor support structure; and

plugging the electrical plug of the integrated power cord into an electrical outlet.

Claim 12 (canceled)

Claim 13 (currently amended): The method of claim 11 further comprising steps of:

removing the motion-sensing light from the first ~~selected location~~ outdoor support structure; and

mounting the motion-sensing light at on a second ~~selected location~~ outdoor support structure.

Claim 14 (original): The method of claim 11 further comprising steps of:  
unplugging the electrical plug from the electrical outlet; and  
plugging the electrical plug into a second electrical outlet.

Claim 15 (currently amended): The method of claim 11 further comprising steps of:

unplugging the electrical plug from the electrical outlet;

removing the motion-sensing light from the first ~~selected location~~ outdoor support structure;

mounting the motion-sensing light at on a second ~~selected location~~ outdoor support structure; and

plugging the electrical plug into a second electrical outlet.